ELSEVIER

Fluid Phase Equilibria 107 (1995) 318–319

FLUID PHASE EQUILIBRIA

Contents of Volume 107 (1995)

Vol. 107, No. 1

Theoretical Papers

From UNIFAC to modified UNIFAC to PSRK with the help of DDB
J. Gmehling (Oldenburg, Germany) 1–29

Phase equilibria in ternary Lennard-Jones systems
P.C. Tsang, O.N. White, B.Y. Perigard, L.F. Vega and A.Z. Panagiotopoulos (Ithaca, NY, USA) 31–43

Application of the new perturbation method to predict densities of single electrolyte aqueous solutions
J. Wu, J. Lu and Y. Li (Beijing, People's Republic of China) 45–59

Representation of the excess enthalpy data by the quasichemical model
T. Hofman (Warszawa, Poland) 61–73

Influence of water droplet size on the chemical affinity. Applications to supersaturated moist air
A. Sanfeld, P. Carlier and G. Mouvier (Paris, France) 75–91

Review Papers

Microemulsions in compressible fluids—A review
K.A. Bartscherer, H. Renon and M. Minier (Paris, France) 93–150

Book reviews 151–159

Vol. 107, No. 2

Theoretical papers

An extension to the UNIFAC group assignment for prediction of vapor–liquid equilibria of mixtures containing refrigerants
M. Kleiber (Frankfurt, Germany) 161–188

Solubilities of methoxybenzoic acid isomers in supercritical carbon dioxide
J.-W. Chen and F.-N. Tsai (Tainan, Taiwan) 189–200

Experimental papers

Experimental liquid–liquid miscibility curves for binary systems: ethanenitrile and butanenitrile with *n*-alkanes
R.M. Cuevas, R. Eustaquio-Rincón, A. Romero-Martínez and A. Trejo (Mexico DF, Mexico) 201–212

Influence of temperature on the liquid-to-liquid extraction of 4-hydroxy-4-methyl-2-pentanone from aqueous solutions with benzyl alcohol
H.N. Sólimo and M.B. Gramajo de Doz (San Miguel de Tucumán, Argentina) 213–227

Excess and unlike interaction second virial coefficients of mixtures of carbon monoxide with propane, *n*-butane and 2-methylpropane
P.J. McElroy and J. Moser (Christchurch, New Zealand) 229–233

Partial molar volumes of air-component gases in binary liquid mixtures with *n*-alkanes and 1-alkanols at 298.15 K
I. Cibulka and A. Heintz (Heidelberg, Germany) 235–255

Isothermal vapour–liquid equilibrium data for the systems *n*-pentane with *n*-hexane, *n*-octane and *n*-decane
P. Rice and A. El-Nikheli (Loughborough, UK) 257–267

Liquid–liquid equilibria of aqueous two-phase systems containing polyethylene glycol and dipotassium hydrogenphosphate
K. Mishima, K. Nakatani, T. Nomiyama, K. Matsuyama, M. Nagatani and H. Nishikawa (Fukuoka, Japan) 269–276

0378-3812/95/$09.50 © 1995 – Elsevier Science B.V. All rights reserved

High pressure VLE in alkanol + alkane mixtures. Experimental results for *n*-butane + ethanol, + 1-propanol, + 1-butanol systems and calculations with three EOS methods
A. Deák, A.I. Victorov and Th.W. De Loos (Delft, Netherlands) 277–301
Experiments, correlation and prediction of protein partition coefficient in aqueous two-phase systems containing PEG and K_2HPO_4–KH_2PO_4
Q. Peng, Z. Li and Y. Li (Beijing, People's Republic of China) 303–315

Subject Index 316

Author Index 317

Contents of Volume 318